

1AP7 Rec'd PCT/PTO 08 FEB 2006

10/553236
RECEIVED
CENTRAL FAX CENTER

FEB 08 2006

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being sent via facsimile to the RightFax facsimile number provided on the Office web site for all facsimile transmissions (571-273-8300) on the date shown below. This transmission includes a total of 3 pages.

Janet Faro
(Type or print name of person faxing paper)

Date: February 8, 2006

Janet Faro
(Signature of person faxing paper)

ALLNP0105US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of	:	
Yuankai, et al	:	Group Art Unit:
Serial No.: 10/553,223	:	Examiner:
Filed: October 13, 2005	:	Confirmation No.

For: AQUEOUS ACIDIC IMMERSION PLATING SOLUTIONS AND METHODS
FOR PLATING ON ALUMINUM AND ALUMINUM ALLOYS

SUBMISSION OF REVOCATION OF POWER OF ATTORNEY
WITH NEW POWER OF ATTORNEY AND
CHANGE OF CORRESPONDENCE ADDRESS

VIA FACSIMILE
 Commissioner for Patents
 P.O. Box 1450
 Alexandria, VA 22313-1450

Sir:

This letter submits Applicants' Revocation of Power of Attorney With New Power of Attorney and Change of Correspondence Address. The Office is requested to immediately change the records to reflect this change.

Page 1 of 2

Docket No. ALLNP0105USSerial No. 10/553,223


Should a Petition for Extension of Time be necessary for the present Reply to the outstanding Office action to be timely filed (or if such a petition has been made and an additional extension is necessary) petition therefor is hereby made and, if any additional fees are required for the filing of this paper, the Commissioner is authorized to charge those fees to Deposit Account #18-0988, Docket No. ALLNP0105US.

Respectfully submitted,

RENNER, OTTO, BOISSELLE & SKLAR, LLP

Date: February 8, 2006

By



Thomas W. Adams
Reg. No. 35,047

1621 Euclid Avenue
Nineteenth Floor
Cleveland, Ohio 44115
(216) 621-1113

B:\Adams-Tom\Client Files\ALLN\ALLNP0105US submitNewPOA.wpd

Page 2 of 2